

BIONYL PRO

**THE FLOOR
THAT TAKES
IT ALL**

**2023
Collection**





THE FLOOR THAT IS READY FOR YOU

Water resistant**

Organic* Coreboard

CO₂-neutral***

Thermally stable


***O.R.C.A. boards are CO₂ neutral, because the production process of transforming a tree into O.R.C.A. emits less CO₂ than the tree itself has stored.

**The floor that gives you
one less thing to worry about**

Relax. BinylPRO-Floor with its Moisture Defense Technology is a safe bet when it comes to everyday mishaps. You no longer have to worry about your floor, for example if you spill a drink or cause minor water spillage.



The floor that combines the best



O.R.C.A. is doubly good.

It unites the best qualities of biologically based floors and conventional waterproof floor coverings. In O.R.C.A., organic* materials are made resistant to liquids by means of a special technology.

O.R.C.A. makes BinylPRO usable anywhere.

Innovative O.R.C.A. Board makes it possible to install BinylPRO-Floor even in private bathrooms** where, until now, only vinyl or tile could be used. In addition, there are its outstanding thermal stability and non-fade properties, thanks to which BinylPRO even looks good in conservatories and rooms with floor-to-ceiling windows.

O.R.C.A. is built better because it is more elaborately manufactured.

The wood fibers are mechanically processed multiple times in a special production process to obtain especially small fibers. Further on in the manufacturing process a specially developed, organic-chemical binding agent surrounds even the finest fibers and isolates them from moisture.

*Consists of natural wood and an organic chemical binder.

**Please observe installation instructions.

O.R.C.A.[®]

ORGANIC RIGID COREBOARD ANTISTATIC

MOISTURE DEFENSE TECHNOLOGY






The flooring that fits wherever you need it

Water spills happen all too quickly.

Mishaps occur almost daily. Wherever such things are bound to happen, it's worth relying on BinylPRO. Kitchen, dining room, bathroom – BinylPRO-Floor is a perfect fit. The room has floor-to-ceiling windows? No problem for BinylPRO, because it is unaffected by temperature fluctuations and long-term, direct exposure to light.

100 h+ splash-water protection guaranteed.*

When it comes to the little accidents of everyday life, with BinylPRO, you can relax and calmly mop up the liquid. You can rest in the complete assurance that little mishaps won't turn into big disasters.



The flooring that forgives accidents



Tested by the clumsiest family in the world.

We'd like to introduce the Clumsy family.

In the Clumsy household, life's little mishaps are everyday occurrences and sometimes even become major disasters.

It's a good thing that they have BinylPRO-Floor with the

O.R.C.A. Moisture Defense Technology.



Scan the QR code to see the video. It's worth it!



Alife with wood



We live from wood.

We also live with wood.

So it's only natural that we handle our wood with care. Sustainability isn't just a buzzword for us, but part of our corporate strategy. It would never cross our minds to use wood that didn't come from sustainably managed forests.

We reap what we sow.

Since 2003, KRONOSPAN Lampertswalde has been making an active contribution to reforestation by planting trees. This gives us the chance to produce part of the wood that we process ourselves. We use resources very frugally. We also process wood from trees damaged by storms as well as crooked and gnarled trees that can't be used to make furniture or parquet flooring.

Born of regional tradition.

What all the types of wood we use have in common is that they come from our region. None of the timber we process has to be transported over long distances. Transporting wood across the globe by ship doesn't make sense to us ecologically.

Not one bit is lost.

At KRONOSPAN, wood scraps left over from production are recycled in the production process or used for our own CO₂-neutral energy production.



The flooring that is naturally nature-friendly



BinylPRO is CO₂-neutral because manufacturing O.R.C.A. releases less CO₂ than was stored by the tree.

Our O.R.C.A. Board consists of components based on biological raw materials and organic-chemical binding agents (synthetic resins) and thus is organic**.



BinylPRO contains no PVC. It has been certified with the well-known "Blue Angel" ecolabel and recognized by the Cologne eco-INSTITUT. BinylPRO also has the highest indoor air quality certification: A+.



www.blauer-engel.de/uz176

*Statement on level of emission of volatile substances in indoor air posing a toxic threat during inhaling - on a scale from A+ (very low-emission) to C (high-emission).

**Consists of natural wood and an organic chemical binder.

The flooring so good that we guarantee it for 30 years

RESIDENTIAL

30
YEARS

WARRANTY*

COMMERCIAL


5
YEARS

BinylPRO is extremely robust and thus suitable for a variety of uses. We are so convinced of its quality that we guarantee* it for no less than 30 years residential and 5 years commercial.

*According to warranty terms.

The features at a glance

See for yourself at a glance everything of which BinylPRO is capable of, how durable it is, and the many possible uses it has.



Utilization class 33 AC5 (EN 13329)

Extremely robust: With an AC5 durability rating, BinylPRO withstands the demands of everyday life and more.




GUARANTEE

We provide a 30-year warranty for private living areas and a 5-year warranty for commercial areas.*



ORGANIC RIGID BOARD

The core of our BinylPRO is produced in an organic** and eco-friendly manner using timber from sustainably managed forests.




ANTI BACTERIAL COMFORT

The antibacterial comfort*** surface gives bacteria no chance to grow. With periodic cleaning, you and your family can enjoy everyday life without a care.




MICROSCRATCH PROTECT

The robust surface protects BinylPRO against microscratches that can be caused by strong mechanical stresses such as moving furniture, falling objects or the claws of house pets.



ANTI-STATIC

BinylPRO does not build up a static electrical charge in case of friction, unlike, for example, many types of vinyl flooring. Unwanted electrical shocks are avoided.



V-GROOVE

BinylPRO has beveled edges, which ensures an especially authentic appearance.




PET PROOF

Thanks to its antibacterial Microscratch Protect surface, which is also undaunted by small mishaps, BinylPRO is exceptionally well-suited for life with house pets.



LIGHT-RESISTANT

Its non-fade properties (rated at 6, the top of the blue wool scale) makes BinylPRO ideally suited for rooms exposed to intense light, for example, conservatories or rooms with floor-to-ceiling windows.



1CLIC 2GO PURE

BinylPRO can be installed in no time at all with the innovative 1clíc 2go pure installation system, which requires no plastic insert strips.

*According to warranty terms. **Consists of natural wood and an organic chemical binder. ***Tested bacteria: Staphylococcus aureus.

Overview

Fresh wood looks

www.bynlpro-flooring.com

Packaging information:

1 box contains 9 planks = 2.22 m²/23.89 sq ft (16.5 kg/box)



1532 · Bolero Oak



Perfect for a
home festival

1532 - Bolero Oak

Format size
W 192 mm x L 1285 mm
7 1/2" x 50 1/2"

Texture
Tidal Oak (TO)
Authentic Embossed
R9**

Class
33, AC5



8 mm

* According to warranty terms.
** Anti-slip class



1524 - SURF PINE

Format size
W 192 mm x L 1285 mm
7 1/2" x 50 1/2"

Texture
Nature Line (NL)
R10**

Class
33, AC5

8 mm



**According to warranty terms.
Anti-slip class



Overview

Warm wood looks

www.bynlpro-flooring.com



Packaging information: 1 box contains 9 planks = 2.22 m²/23.89 sq ft (16.5 kg/box)



1536 · Stockholm Oak



1579 · Havana Oak



1539 · Clayborne Oak

1536 - Stockholm Oak

Format size
W 192 mm x L 1285 mm
7 1/2" x 50 1/2"

Texture
Nature Line (NL)
R10**

Class
33, AC5



8 mm



* According to warranty terms.
** Anti-slip class

1537- Charcoal Oak

Format size
W 192 mm x L 1285 mm
7 1/2" x 50 1/2"

Texture
Nature Line (NL)
R10**

Class
33, AC5



8 mm



* According to warranty terms.
** Anti-slip class

1579 - Havana Oak

Format size
W 192 mm x L 1285 mm
7 1/2" x 50 1/2"

Texture
Living Pore (LP)
Authentic Embossed

Class
33, AC5



8 mm



*According to warranty terms.

1539 - Clayborne Oak

Format size
W 192 mm x L 1285 mm
7 1/2" x 50 1/2"

Texture
Hand Carved (HC)
Authentic Embossed
R10**


Class
33, AC5



8 mm

Chase away boredom

* According to warranty terms.
** Anti-slip class



Overview

Fine stone looks

www.bynylpro-flooring.com



Packaging information: 1 box contains 11 planks = 2.28 m²/ 24.54 sq ft (17.2 kg/ box)



1525 · Quicksilver



1527 · Moon Slate



1526 · Brecon Slate

*According to warranty terms.



**So reliable you can
afford to take the plunge**

1525 - Quicksilver

Format size
W 327 mm x L 635 mm
12 7/8" x 25"

Texture
Rust (RT)
R10**


Class
33, AC5



8 mm



* According to warranty terms.
** Anti-slip class



1527 - Moon Slate

Format size
W 327 mm x L 635 mm
12 7/8" x 25"

Texture
Oiled Slate (OS)
Authentic Embossed
R9**

Class
33, AC5



8 mm



* According to warranty terms.
** Anti-slip class

Agiant step towards the bathroom of the future



1526 - Brecon Slate

Format size
W 327 mm x L 635 mm
12 7/8" x 25"

Texture
Oiled Slate (OS)
Authentic Embossed
R9**

Class
33, AC5




8 mm



* According to warranty terms.
** Anti-slip class

FLH₂OOR



1526 Yukon Slate



PET

P

R

O

O

F

Why BinylPRO-Floor is exactly the right flooring for you

BINYLPRO
THE FLOOR THAT TAKES IT ALL

O.R.C.A.[©]
ORGANIC RIGID COREBOARD ANTISTATIC
MOISTURE DEFENSE TECHNOLOGY



Are your flower vases in love with gravity?



Is your dog unable to wait for his next walk?



Does your radiator sweat like it's doing a workout?



Does your drink land where it's not supposed to go?



Does your child's definition of hygiene differ from yours?



THE FLOOR THAT TAKES IT ALL

MADE IN GERMANY

The product information in this catalog was current at the time of going to press. Because of our continuous product development policy, we reserve the right to change product specifications. Due to standard printing industry tolerances, the original decors may deviate from the illustrations in this catalog.



www.leokingint.com

CUSTOMER SERVICE: 01929 99 88 00

House-79 (1st-3rd floor),
Block-I, Chairman Bari (New Airport Road), Banani, Dhaka-1230,
Bangladesh.

Super Natural Classic

**Krono
Original**

High Quality

Made by Kronospan


SUPER
NATURAL

A stunning new achievement in realism.

Our Super Natural Classic range provides a new level of realism. The matt or satin finished surfaces with Authentic Embossed glossy or deep matt pores faithfully reproduce the most exquisite features of premium quality timber to give your floor a natural look and feel.

Try out in the virtual floor studio

Any questions? - Contact us!





A stunning new
achievement in realism.





LK-5541-
51" x 7.5" x
8mm)

Krono
Original
High Quality
Made by Kronospan

SUPER
NATURAL



LK-5541-
51" x 7.5" x
8mm)

Krono
Original
High Quality
Made by Kronospan

SUPER
NATURAL



LK-5542-
51" x 7.5" x
8mm)



LK-5542-
51" x 7.5" x
8mm)

Krono
Original
High Quality
Made by Kronospan

SUPER
NATURAL



LK-5543-
51" x 7.5" x
8mm)



LK-5543-
51" x 7.5" x
8mm)

Krono
Original
High Quality
Made by Kronospan

SUPER
NATURAL



LK-8573-
51" x 7.5" x
8mm)



LK-8573-
51" x 7.5" x
8mm)

Krono
Original
High Quality
Made by Kronospan

SUPER
NATURAL



LK-5540 (51" x
7.5" x 8mm)

Krono
Original
High Quality
Made by Kronospan

SUPER
NATURAL



LK-5540 (51" x
7.5" x 8mm)



LK-K037 (51" x 7.5" x 8mm)



LK-709 (51" x 7.5"
x 8mm)

Krono
Original
High Quality
Made by Kronospan

SUPER
NATURAL



LK-709 (51" x 7.5"
x 8mm)



Vinyl Floor Tiles Krono Xonic – Thickness- 5mm



LK-R018 (5mm x 51" x 7.5")



Vinyl Floor Tiles Krono Xonic – Thickness- 5mm



R027

Interlocking floor





The perfect upgrade for any wall.



LK-5934 (51.02" x 6.06" x 12mmT)



LK-5934 (51.02" x 6.06" x 12mmT)

Krono Wall 3D




LK-K061 (51.02" x 5.20" x 12mmT)



LK-K061 (51.02" x 5.20" x 12mmT)

Kronowall

- Lightfast surface
- suitable for bathrooms
- low maintenance and easy to clean
- heat resistant and suitable for built-in lighting



Super Natural Classic

**Krono
Original**

High Quality

Made by Kronospan


SUPER
NATURAL

A stunning new achievement in realism.

Our Super Natural Classic range provides a new level of realism. The matt or satin finished surfaces with Authentic Embossed glossy or deep matt pores faithfully reproduce the most exquisite features of premium quality timber to give your floor a natural look and feel.

Try out in the virtual floor studio

Any questions? - Contact us!





THE FLOOR THAT TAKES IT ALL

MADE IN GERMANY

The product information in this catalog was current at the time of going to press. Because of our continuous product development policy, we reserve the right to change product specifications. Due to standard printing industry tolerances, the original decors may deviate from the illustrations in this catalog.



www.leokingint.com

CUSTOMER SERVICE: 01929 99 88 00

House-79 (1st-3rd floor),
Block-I, Chairman Bari(New Airport Road), Banani, Dhaka-1230,
Bangladesh.



Made by Kronospan

